



Goodwyn Mills Cawood
2400 5th Avenue South, Suite 200
Birmingham, Alabama 35233
T 205.879.4462

TRANSMITTAL COVER SHEET

DATE: May 9, 2025

TO: ALL CONTRACTORS

FROM: JEREMY LIPSCOMB, PE

PROJECT: NORTHEAST ALABAMA REGIONAL MEGASITE CANOE CREEK ROAD INFRASTRUCTURE
IMPROVEMENTS
ETOWAH COUNTY COMMISSION
ETOWAH COUNTY BID NO. FY 2025-12
GMC PROJECT NO. CBHM220009(2)

RE: ADDENDUM #2

PLEASE COMPLETE BELOW AND RETURN IMMEDIATELY.

Email: ashley.morris@gmcnetwork.com

I, the undersigned, hereby acknowledge receipt of this Addendum #2.

Authorized Representative of Contractor

Date

Company Name

Telephone

Contractor's License Number (if applicable)



ADDENDUM NUMBER 2

NORTHEAST ALABAMA REGIONAL MEGASITE CANOE CREEK ROAD INFRASTRUCTURE IMPROVEMENTS
FOR THE
ETOWAH COUNTY COMMISSION
ETOWAH COUNTY BID NO. FY 2025-12
GMC PROJECT NO. CBHM220009(2)

1. Revisions to Project Manual

- 1.1 The following revisions are hereby added as Addendum No. 2 to the referenced Project Manual and Plans and shall be considered when preparing bids.
- 1.2 The Bid Proposal has been revised and attached. This bid proposal shall take precedence over older versions and shall be used in preparation of bids.

2. Contractor Questions

- 2.1 **Does the HMA AC & HHMA Fuel Index apply to this project?** This does not apply for this project. Please consider what is needed on the front end in the price bid in this project.
- 2.2 **Is there a dedicated haul route for this project?** There isn't a specific haul route. All construction vehicles and equipment must abide by local traffic laws. This should be considered as the Contractor delivers material to the site.
- 2.3 **Is there a dumpsite provided for the spoils from the pipe installation?** The Contractor shall be responsible for the disposal of spoils from the pipe installation. There is a potential that the County will provide a location but not confirmed. For this reason, consider that hauling spoils off shall be responsibility of the Contractor.
- 2.4 **Is there a different quantity for line item 7 rather than SY? Is there a CY or Ton measurement?** The SY quantity of this stone will provide for the easiest way for us to track installed quantities in construction, as the depth of pipe varies in different locations.
- 2.5 **Do you know who did the interstate bores or maybe one of the water guys can tell us if it was rock or not?** The interstate bores are not installed yet. This interstate project is scheduled to begin construction in the next month or so. There were some small layers of rock in the Geotech report for that project. 7" layer and 9" layer.
- 2.6 **Is there an exact location for the temporary residential access road?** We are anticipating that a lane of Canoe Creek Road will be blocked or disrupted for the entire stretch of road. This lane is to be tentatively located on the opposite side from the construction, along Canoe Creek Road. This is all conceptual and will be nailed down at the Pre-Construction Conference.
- 2.7 **What quantity of material is designated for the residential access road?** Roughly 5200 – 5300 SY is anticipated.
- 2.8 **Is there a specific sequence for the work to be done?** There isn't a specific sequence required for the project. We anticipate water & sewer infrastructure to be constructed in the same time frame and then paving to come afterwards. It will be the most beneficial to limit the disruptions on Canoe Creek Road



and install both utilities. Specific sequence will be discussed at the Pre-Construction Conference once the project has been awarded.

3. Clarifications

- 3.1 The water & sewer utility trench, located within Canoe Creek Road (Paved) shall be completely backfilled with stone per the details in the plan sheets. This is to be considered in the price bid under the pipe. The Contractor shall be responsible for removing and disposing of the existing material, making way for the new stone backfill.

4. Acknowledgement of Receipt

- 4.1 Receipt of Addendum No. 2 shall be acknowledged in two ways:

4.1.1 Note on Page 5 of the Bid Form – Bidder acknowledges receipt of “Addendum No. 2.”

AND

4.1.2 EMAIL Goodwyn Mills Cawood, LLC immediately at ashley.morris@gmcnetwork.com and confirm that EMAIL has been received.

5. Conclusion

- 5.1 This is the end of Addendum No. 2, dated Friday, May 9, 2025.

BID FORM FOR CONSTRUCTION CONTRACT – ADDENDUM NO. 2

The terms used in this Bid with initial capital letters have the meanings stated in the Instructions to Bidders, the General Conditions, and the Supplementary Conditions.

ARTICLE 1—OWNER AND BIDDER

1.01 This Bid is submitted to:

Etowah County Commission

Commission Chambers, Room 108

800 Forrest Avenue

Gadsden, AL 35901

Attn: Joey Statum, Commission President

1.02 The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an Agreement with Owner in the form included in the Bidding Documents to perform all Work as specified or indicated in the Bidding Documents for the prices and within the times indicated in this Bid and in accordance with the other terms and conditions of the Bidding Documents.

ARTICLE 2—ATTACHMENTS TO THIS BID

2.01 The following documents are submitted with and made a condition of this Bid:

- A. Required Bid security;
- B. List of Proposed Subcontractors;
- C. List of Proposed Suppliers;
- D. Evidence of authority to do business in the state of the Project; or a written covenant to obtain such authority within the time for acceptance of Bids;
- E. Contractor's license number as evidence of Bidder's State Contractor's License; and
- F. Accounting of Sales Tax Attachment to Proposal Form.

ARTICLE 3—BASIS OF BID

3.01 *Unit Price Bids*

- A. Bidder will perform the following Work at the indicated unit prices:

BASE BID

16 Inch Water Transmission Main

<u>ITEM</u>	<u>QTY.</u>	<u>UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
1	12,000	LF	16 Inch CL350 Ductile Iron Water Main w/ Poly Encasement	\$ _____	\$ _____

2	2	EA	1 Inch Combination Air/Vacuum Release Valve Assembly		
3	7	EA	16 Inch Beveled Gear Gate Valve		
4	6	EA	Fire Hydrant Assembly		
5	4	EA	Connect to Existing 16 Inch Water Main		
6	5	TON	Ductile Iron Fittings for Water		
7	2,000	SY	Special Stone Aggregate Backfill for Water Utility Trench - Gradation No. 8910 (Trench Depth Varies)		

Total 16 Inch Water Transmission Main:

\$ _____

12 Inch Sewer Force Main

<u>ITEM</u>	<u>QTY.</u>	<u>UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
8	6,000	LF	12 Inch SDR17 CL250 PVC Force Main	\$ _____	\$ _____
9	40	LF	24 Inch Welded Steel Encasement (Open Cut Installation)	_____	_____
10	2	EA	Sanitary Sewer Flushing Assembly	_____	_____
11	2	EA	Connect to Existing 12 Inch Force Main	_____	_____
12	2	TON	Ductile Iron Fittings for Sewer	_____	_____

Total 12 Inch Sewer Force Main:

\$ _____

Canoe Creek Road Improvements

<u>ITEM</u>	<u>QTY.</u>	<u>UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
13	32	LF	15 Inch CPP Storm Drain Pipe	\$ _____	\$ _____
14	50	LF	15 Inch RCP Storm Drain Pipe, Class III	_____	_____
15	106	LF	18 Inch RCP Storm Drain Pipe, Class III	_____	_____
16	64	LF	24 Inch CPP Storm Drain Pipe	_____	_____
17	32	LF	24 Inch Ductile Iron Storm Drain Pipe	_____	_____
18	40	LF	6 Inch Temporary Storm Drain Pipe	_____	_____
19	40	LF	8 Inch Temporary Storm Drain Pipe	_____	_____
20	40	LF	12 Inch Temporary Storm Drain Pipe	_____	_____
21	1,340	GAL	Tack Coat	_____	_____
22	5,900	LF	Double Solid Traffic Stripe, Yellow, Class 2, Type A (5" Wide)	_____	_____
23	100	LF	Single Solid Traffic Stripe, White, Class 2, Type A (5" Wide)	_____	_____

24	1,400	TON	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range A/B (220#/SY)		
25	1,450	TON	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Maximum Aggregate Size Mix, ESAL Range A/B (225#/SY)		
26	100	TON	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Maximum Aggregate Size Mix, ESAL Range C/D (200#/SY)		
27	110	TON	Superpave Bituminous Concrete Upper Binder Layer, 1" Maximum Aggregate Size Mix, ESAL Range C/D (250#/SY)		
28	26,600	SY	Crushed Aggregate Base Course, Type B, Plant Mixed, 6" Compacted Thickness (825B Crusher Run)		

Total Canoe Creek Road Improvements:

\$ _____

General Items

<u>ITEM</u>	<u>QTY.</u>	<u>UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
29	1	LS	Mobilization & General Conditions (NOTE 3% of Total Bid)	\$ LS	\$ _____
30	1	LS	Clearing & Grubbing	LS	_____
31	1	LS	Erosion Control Measures	LS	_____
32	1	LS	Traffic Control Measures	LS	_____
33	1	LS	Cleanup, Grassing, Mulching, Landscaping & Site Restoration	LS	_____
34	1	LS	Construction Materials Testing Allowance	LS	15,000.00
35	1	LS	Construction Survey Allowance	LS	10,000.00
36	1	LS	Owner's Contingency Allowance	LS	50,000.00

Total General Items:

\$ _____

Total Base Bid (Line Items 1 - 36):

\$ _____

ADDITIVE ALTERNATE NO. 1

Price Increase (+) / Price Decrease (-) from 16 Inch Ductile Iron to 16 Inch Fusible PVC

<u>ITEM</u>	<u>QTY.</u>	<u>UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
A1-1	12,000	LF	16 Inch DR14 CL305 DIPS Fusible C-905 PVC Water Main (Open Cut Installation) [Increase (+) / Decrease (-) to Line Item 1]	\$ _____	\$ _____

Total Additive Alternate No. 1: \$ _____

ADDITIVE ALTERNATE NO. 2

Price Increase (+) / Price Decrease (-) from 12 Inch PVC to 12 Inch Fusible PVC

<u>ITEM</u>	<u>QTY.</u>	<u>UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
A2-1	6,000	LF	12 Inch SDR17 CL250 Fusible PVC Force Main (Open Cut Installation) [Increase (+) / Decrease (-) to Line Item 7]	\$ _____	\$ _____

Total Additive Alternate No. 2: \$ _____

Total Base Bid + Additive Alternate No. 1: \$ _____

Total Base Bid + Add. Alt. No. 1 & 2: \$ _____

B. Bidder acknowledges that:

1. each Bid Unit Price includes an amount considered by Bidder to be adequate to cover Contractor's overhead and profit for each separately identified item, and
2. estimated quantities are not guaranteed, and are solely for the purpose of comparison of Bids, and final payment for all Unit Price Work will be based on actual quantities, determined as provided in the Contract Documents.

ARTICLE 4—TIME OF COMPLETION

- 4.01 Bidder agrees that the Work will be substantially complete and will be completed and ready for final payment in accordance with Paragraph 15.06 of the General Conditions on or before the dates or within the number of calendar days indicated in the Agreement.
- 4.02 Bidder accepts the provisions of the Agreement as to liquidated damages.

ARTICLE 5—BIDDER'S ACKNOWLEDGEMENTS: ACCEPTANCE PERIOD, INSTRUCTIONS, AND RECEIPT OF ADDENDA

5.01 *Bid Acceptance Period*

- A. This Bid will remain subject to acceptance for 60 days after the Bid opening, or for such longer period of time that Bidder may agree to in writing upon request of Owner.

5.02 *Instructions to Bidders*

- A. Bidder accepts all of the terms and conditions of the Instructions to Bidders, including without limitation those dealing with the disposition of Bid security.

5.03 *Receipt of Addenda*

- A. Bidder hereby acknowledges receipt of the following Addenda:

Addendum Number	Addendum Date

ARTICLE 6—BIDDER’S REPRESENTATIONS AND CERTIFICATIONS

6.01 *Bidder’s Representations*

A. In submitting this Bid, Bidder represents the following:

1. Bidder has examined and carefully studied the Bidding Documents, including Addenda.
2. Bidder has visited the Site, conducted a thorough visual examination of the Site and adjacent areas, and become familiar with the general, local, and Site conditions that may affect cost, progress, and performance of the Work.
3. Bidder is familiar with all Laws and Regulations that may affect cost, progress, and performance of the Work.
- ~~4. Bidder has carefully studied the reports of explorations and tests of subsurface conditions at or adjacent to the Site and the drawings of physical conditions relating to existing surface or subsurface structures at the Site that have been identified in the Supplementary Conditions, with respect to the Technical Data in such reports and drawings.~~
- ~~5. Bidder has carefully studied the reports and drawings relating to Hazardous Environmental Conditions, if any, at or adjacent to the Site that have been identified in the Supplementary Conditions, with respect to Technical Data in such reports and drawings.~~
6. Bidder has considered the information known to Bidder itself; information commonly known to contractors doing business in the locality of the Site; information and observations obtained from visits to the Site; the Bidding Documents; and the Technical Data identified in the Supplementary Conditions or by definition, with respect to the effect of such information, observations, and Technical Data on (a) the cost, progress, and performance of the Work; (b) the means, methods, techniques, sequences, and procedures of construction to be employed by Bidder, if selected as Contractor; and (c) Bidder’s (Contractor’s) safety precautions and programs.
7. Based on the information and observations referred to in the preceding paragraph, Bidder agrees that no further examinations, investigations, explorations, tests, studies, or data are necessary for the performance of the Work at the Contract Price, within the Contract Times, and in accordance with the other terms and conditions of the Contract.
8. Bidder is aware of the general nature of work to be performed by Owner and others at the Site that relates to the Work as indicated in the Bidding Documents.
9. Bidder has given Engineer written notice of all conflicts, errors, ambiguities, or discrepancies that Bidder has discovered in the Bidding Documents, and of discrepancies between Site conditions and the Contract Documents, and the written resolution thereof by Engineer is acceptable to Contractor.

10. The Bidding Documents are generally sufficient to indicate and convey understanding of all terms and conditions for performance and furnishing of the Work.
11. The submission of this Bid constitutes an incontrovertible representation by Bidder that without exception the Bid and all prices in the Bid are premised upon performing and furnishing the Work required by the Bidding Documents.

6.02 *Bidder's Certifications*

A. The Bidder certifies the following:

1. This Bid is genuine and not made in the interest of or on behalf of any undisclosed individual or entity and is not submitted in conformity with any collusive agreement or rules of any group, association, organization, or corporation.
2. Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid.
3. Bidder has not solicited or induced any individual or entity to refrain from bidding.
4. Bidder has not engaged in corrupt, fraudulent, collusive, or coercive practices in competing for the Contract. For the purposes of this Paragraph 8.02.A:
 - a. Corrupt practice means the offering, giving, receiving, or soliciting of anything of value likely to influence the action of a public official in the bidding process.
 - b. Fraudulent practice means an intentional misrepresentation of facts made (a) to influence the bidding process to the detriment of Owner, (b) to establish bid prices at artificial non-competitive levels, or (c) to deprive Owner of the benefits of free and open competition.
 - c. Collusive practice means a scheme or arrangement between two or more Bidders, with or without the knowledge of Owner, a purpose of which is to establish bid prices at artificial, non-competitive levels.
 - d. Coercive practice means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the bidding process or affect the execution of the Contract.

(Signature page follows)

BIDDER hereby submits this Bid as set forth above:

Bidder:

(typed or printed name of organization)

By:

(individual's signature)

Name:

(typed or printed)

Title:

(typed or printed)

Date:

(typed or printed)

If Bidder is a corporation, a partnership, or a joint venture, attach evidence of authority to sign.

Attest:

(individual's signature)

Name:

(typed or printed)

Title:

(typed or printed)

Date:

(typed or printed)

Address for giving notices:

Bidder's Contact:

Name:

(typed or printed)

Title:

(typed or printed)

Phone:

Email:

Address:

Bidder's Contractor License No.: (if applicable)
