

PROJECT DESCRIPTION

THE PROJECT IS LOCATED ON THE CAMPUS OF ROBERT "BOB" HARRISON SENIOR WELLNESS AND ADVOCACY CENTER IN MADISON COUNTY, ALABAMA. THE SCOPE OF THIS PROJECT INCLUDES TWO (2) PICKLEBALL COURTS AND A PLAZA WITHIN THE CAMPUS WITH A PAVILION AND SEATING.

VICINITY MAP



LOCATION MAP




GENERAL PROJECT NOTES

- MADISON COUNTY PREPARED THE SURVEY FOR THIS PROJECT. IT HAS BEEN REFORMATTED FOR GRAPHICAL CLARITY IN THE PREPARATION OF THESE CONSTRUCTION DOCUMENTS. CONTRACTOR SHALL OBTAIN AN OFFICIALLY SIGNED COPY FROM MADISON COUNTY AND BECOME FAMILIAR WITH IT, THE SITE, THE SITE'S CONTEXT, AND ALL EXISTING CONDITIONS PRIOR TO BEGINNING CONSTRUCTION. DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE LANDSCAPE ARCHITECT IMMEDIATELY FOR RESOLUTION.
- CONTRACTOR SHALL EXAMINE & BECOME FAMILIAR WITH ALL CONTRACT DOCUMENTS IN THEIR ENTIRETY. THE DRAWINGS AND SPECIFICATIONS ARE COMPLEMENTARY TO ONE ANOTHER & CORRESPOND WITH ONE ANOTHER. ALL COSTS SUBMITTED SHALL BE BASED ON THOROUGH KNOWLEDGE OF ALL WORK & MATERIALS REQUIRED. ANY DISCREPANCY AND/OR UNCERTAINTY AS TO WHAT MATERIAL/PRODUCT IS TO BE USED SHALL BE VERIFIED WITH THE OWNER OR THE LANDSCAPE ARCHITECT PRIOR TO BIDDING & CONSTRUCTION.
- CONTRACTOR IS RESPONSIBLE FOR ALL FINAL QUANTITIES PER DRAWINGS & SPECIFICATIONS. ANY QUANTITIES PROVIDED BY GMC ARE PROVIDED FOR CONVENIENCE ONLY & SHALL NOT BE CONSIDERED ABSOLUTE. ANY DISCREPANCIES SHALL BE REPORTED TO THE LANDSCAPE ARCHITECT.
- CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL UNDERGROUND UTILITIES, PIPES, STRUCTURES, & LINE RUNS IN THE FIELD PRIOR TO CONSTRUCTION. ANY DAMAGE TO NEW OR EXISTING UTILITIES ARE TO BE REPAIRED IMMEDIATELY AT NO ADDITIONAL EXPENSE TO THE OWNER. GMC ASSUMES NO RESPONSIBILITY FOR ANY UTILITIES NOT SHOWN ON PLANS.
- CONTRACTOR IS RESPONSIBLE FOR CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES & PROCEDURES REQUIRED FOR SAFE EXECUTION & COMPLETION OF WORK, & FOR INITIATING, MAINTAINING & SUPERVISING ALL SAFETY PRECAUTIONS & PROGRAMS IN CONNECTION WITH THE WORK.
- THESE DRAWINGS MAY INDICATE A LIMIT OF PROPOSED IMPROVEMENTS, LIMITS OF SITE DEMOLITION, ETC. FOR DELINEATION OF EXPECTED EXTENTS OF DISTURBANCE. FINAL IMPACT SHALL BE DETERMINED IN THE FIELD. CONTRACTOR IS RESPONSIBLE FOR REPAIRING ALL WORK DISTURBED BY CONSTRUCTION TO A CONDITION BETTER THAN OR EQUAL TO THE CONDITIONS THAT EXISTED PRIOR TO THE BEGINNING OF CONSTRUCTION AT NO ADDITIONAL COST TO OWNER.
- CONTRACTOR IS RESPONSIBLE FOR MAINTAINING A COMPLETE UP-TO-DATE SET OF DRAWINGS & SPECIFICATIONS AT THE CONSTRUCTION SITE AND ENSURING THE DOCUMENTS ARE READILY AVAILABLE FOR REVIEW BY THE LANDSCAPE ARCHITECT AND GOVERNING AGENCIES.
- CONTRACTOR SHALL VERIFY ALL DIMENSIONS & ELEVATIONS IN THE FIELD & NOTIFY THE LANDSCAPE ARCHITECT OF ANY DISCREPANCIES PRIOR TO CONSTRUCTION.
- WRITTEN DIMENSIONS PREVAIL OVER SCALED DIMENSIONS. NOTIFY LANDSCAPE ARCHITECT OF DISCREPANCIES.
- DIMENSIONS ARE TO FACE OF OBJECT, UNLESS OTHERWISE NOTED.

TABLE OF ABBREVIATIONS


APPROX AVG	APPROXIMATE AVERAGE	NIC NTS	NOT IN CONTRACT NOT TO SCALE
B&B	BALLED & BURLAPPED	OC	ON CENTER
BF	BOTTOM OF FOOTING BUILDING	OD	OUTSIDE DIAMETER
BOC	BACK OF CURB	OPP	OPPOSITE
BR	BOTTOM OF RAMP	PA	PLANTED AREA
BS	BOTTOM OF STEP	PAR	PARALLEL
BW	BOTTOM OF WALL	PC	POINT OF CURVATURE
		PED	PEDESTRIAN
CAL	CALIPER	PI	POINT OF INTERSECTION
CF	CUBIC FEET	PT	PT, POINT OF TANGENCY
CHAM	CHAMFER	PVC	POLYVINYL CHLORIDE
CIP	CAST IN PLACE	PVMT	PAVEMENT
CJ	CONTROL JOINT		
CL	CENTERLINE	QTY	QUANTITY
CONC	CONCRETE		
CONT	CONTINUOUS	RAD	RADIUS
CY	CUBIC YARD	REF	REFERENCE
		REIN	REINFORCE(D)
DEG	DEGREE	REQ'D	REQUIRED
DEMO	DEMOLISH, DEMOLITION	REV	REVISION, REVISED
DIA	DIAMETER	ROW	RIGHT OF WAY
DIM	DIMENSION		
DWG	DRAWING	SCH	SCHEDULE
		SECT	SECTION
EA	EACH	SF	SQUARE FOOT(FEET)
EJ	EXPANSION JOINT	SPECS	SPECIFICATIONS
ELEC	ELECTRICAL	SQ	SQUARE
EQ	EQUAL	SY	SQUARE YARD
EQUIP	EQUIPMENT	SS	STAINLESS STEEL
EXIST	EXISTING	STA	STATION
		STD	STANDARD
FFE	FINISH FLOOR ELEVATION	STL	STEEL
FG	FINISH GRADE	STRUC	STRUCTURAL
FOC	FACE OF CURB	SYM	SYMMETRICAL
FT	FOOT		
FTG	FOOTING	T&B	TOP & BOTTOM
		TBC	TOP OF BACK CURB
GA	GAUGE	TF	TOP OF FOOTING
GC	GENERAL CONTRACTOR	THK	THICK
		TOPO	TOPOGRAPHY
HDG	HOT DIPPED GALVANIZED	TSL	TOP OF SLAB
HDPE	HIGH DENSITY POLY	TR	TOP OF RAMP
ETHYLENE		TS	TOP OF STEP
HORIZ	HORIZONTAL	TW	TOP OF WALL
HP	HIGH POINT	TYP	TYPICAL
HT	HEIGHT		
		VAR	VARIES
ID	INSIDE DIAMETER	VERT	VERTICAL
IRRIG	IRRIGATION	VOL	VOLUME
		W	WITH
LIN	LINEAR	WT	WEIGHT
LF	LINEAR FEET	WL	WEIR LEVEL
LP	LOW POINT	WWF	WELDED WIRE FABRIC
MAX	MAXIMUM	YD	YARD
MH	MANHOLE		
MIN	MINIMUM	@	AT
MISC	MISCELLANEOUS	&	AND
MLT	MULTI-TRUNK	#	NUMBER
MTL	METAL		

SYMBOLS & ANNOTATIONS



Sheet List Table


Sheet Number	Sheet Title
T1.01	TITLE SHEET
G1.01	GENERAL NOTES
L0.01	EXISTING CONDITION
L0.02	DEMOLITION PLAN
L1.01	HARDSCAPE PLAN
L3.01	GRADING PLAN
L4.01	HARDSCAPE DETAILS
L4.02	HARDSCAPE DETAILS
L5.01	LANDSCAPE PLAN
L6.01	LANDSCAPE DETAILS
E0.01	ELECTRICAL LEGENDS NOTES & ABBREVIATIONS
E1.01	ELECTRICAL SITE PLAN
E1.02	ELECTRICAL SITE PLAN
E2.01	POWER RISER DIAGRAM, DETAILS & SCHEDULES



7 Town Center Drive, Suite 201
Huntsville, AL 35806
T 256.533.1484
GMCNETWORK.COM

ISSUE DATE
100% CD 2026.05.27

BOB HARRISON CENTER PICKLEBALL
6156 Pulaski Pike NW, Huntsville, AL 35810



GENERAL NOTES

G1.01

GMC Project #: LHUN260002


DRAWN BY: OF
CHECKED BY: JJ

SITE DEMOLITION NOTES

- CONTRACTOR SHALL BE RESPONSIBLE FOR FIELD VERIFICATION OF THE LOCATION OF ALL UTILITIES IN ALL AREAS TO BE REMOVED OR DEMOLISHED PRIOR TO COMMENCEMENT OF WORK. THE LOCATION OF EXISTING UTILITIES AS SHOWN ON THE DRAWINGS MAY VARY IN RELATION TO ACTUAL EXISTING CONDITIONS, EXISTING UTILITIES NOT SHOWN ON DRAWINGS MAY EXIST.
- THE CONTRACTOR SHALL LOCATE ON THE GROUND WITH PAINT OR OTHER EASILY VISIBLE MEANS ALL UNDERGROUND UTILITIES PRIOR TO ANY CONSTRUCTION EFFORTS.
- THE CONTRACTOR SHALL PRESERVE AND PROTECT, ACCORDING TO THE UTILITY AGENCY INVOLVED, ANY "LIVE" UTILITIES LOCATED BY THE UTILITY COMPANY OR THE CONTRACTOR.
- REMOVE ITEMS SHOWN ON DRAWINGS TO THE FULL DEPTH OF THEIR CONSTRUCTION UNLESS DESIGNATED TO REMAIN.
- DEMO ITEMS SHOWN ARE CONSIDERED TO BE A MINIMUM - UNDERGROUND STORAGE TANKS, UNMARKED UTILITIES, AND BURIED SIDEWALKS SHALL BE REMOVED AND BACKFILLED WITH PROPERLY COMPACTED MATERIALS. ITEMS ENCOUNTERED BELOW GRADE THAT ARE NOT SHOWN ON THE DRAWINGS SHALL BE BROUGHT TO THE ATTENTION OF THE LANDSCAPE ARCHITECT FOR CLARIFICATION.
- THESE DRAWINGS MAY INDICATE A LIMIT OF PROPOSED IMPROVEMENTS, LIMITS OF SITE DEMOLITION, ETC. FOR DELINEATION OF EXPECTED EXTENTS OF DISTURBANCE. FINAL IMPACT SHALL BE DETERMINED IN THE FIELD. CONTRACTOR IS RESPONSIBLE FOR REPAIRING ALL WORK DISTURBED BY CONSTRUCTION TO A CONDITION BETTER THAN OR EQUAL TO THE CONDITIONS THAT EXISTED PRIOR TO THE BEGINNING OF CONSTRUCTION AT NO ADDITIONAL COST TO OWNER.

NOTES:


- ALL EXISTING TREES TO REMAIN WITHIN 100 FEET OF ANY DISTURBED AREA SHALL BE PROTECTED BY A TREE PROTECTION FENCE.
- TREE PROTECTION ZONE (TPZ) SHALL BE MINIMUM 1.5 FOOT OF RADIUS PER 1 INCH OF DIAMETER AT BREAST HEIGHT (DBH).
- WHERE DBH IS NOT PROVIDED, CONTRACTOR SHALL DETERMINE DBH USING A DBH TAPE OR BY DIVIDING THE CIRCUMFERENCE BY π (3.1416) AT 4.5 FEET ABOVE GROUND LEVEL.
- NO EQUIPMENT SHALL OPERATE INSIDE FENCING INCLUDING DURING FENCE INSTALLATION.
- SEE PLANS FOR ANY MODIFICATIONS TO TREE PROTECTION LIMITS.
- NO PRUNING SHALL BE PERFORMED EXCEPT BY APPROVED ARBORIST.



1 TREE PROTECTION FENCING
N.T.S.

PLANT PROTECTION & REMOVAL NOTES

- TREES INDICATED TO REMAIN SHALL BE PROTECTED WITH FENCING AT THE LIMITS OF THE GREATER OF EITHER THE CRITICAL ROOT ZONE OR CANOPY DRIP-LINE UNLESS OTHERWISE INDICATED IN THE DRAWINGS.
 - THE CRITICAL ROOT ZONE SHALL BE DETERMINED BY MULTIPLYING THE DBH (IN FEET) BY 1.5 AND RADIATING OUT FROM THE TREE TRUNK.
- BEFORE GRADING/CONSTRUCTION BEGINS, THE CONTRACTOR SHALL CALL THE LANDSCAPE ARCHITECT FOR REVIEW OF TREE PROTECTION FENCING.
- TREE PROTECTION ZONES SHALL BE MAINTAINED THROUGHOUT CONSTRUCTION UNLESS OTHERWISE DIRECTED BY THE LANDSCAPE ARCHITECT. NO SOIL DISTURBANCE OR COMPACTION, CONSTRUCTION MATERIALS OR STAGING, TRAFFIC, BURIAL PITS, TRENCHING, OR OTHER LAND DISTURBING ACTIVITY IS ALLOWED IN THE TREE PROTECTION ZONE UNLESS AUTHORIZED IN WRITING BY THE LANDSCAPE ARCHITECT.
- TREES THAT ARE DAMAGED WITHIN THE BOUNDARIES OF THE TREE PROTECTION ZONE SHALL BE EVALUATED BY AN ARBORIST OR FORESTER FROM THE JURISDICTION HAVING AUTHORITY AT NO EXPENSE TO OWNER. BASED ON THE EVALUATION, THE TREE MAY BE APPRAISED BY THE LANDSCAPE ARCHITECT USING THE "TRUNK FORMULA METHOD" & THE VALUE OF THE TREE SHALL BE CREDITED TO THE OWNER.
- COORDINATE WITH CITY FORESTER PRIOR TO CONDUCTING ANY TREE REMOVAL OR PRUNING.
- TREES INDICATED FOR REMOVAL SHALL ALSO INCLUDE REMOVAL OF STUMP AND ROOTS AND FILLING IN DEPRESSION WITH SUITABLE SOIL INFILL.




ISSUE DATE

100% CD 2026.05.27

BOB HARRISON CENTER PICKLEBALL
6156 Pulaski Pike NW, Huntsville, AL 35810

100% CD 2026.05.27




DEMOLITION PLAN

100% CD 2026.05.27


GMC Project #: LHUN260002

L0.02

7 Town Center Drive, Suite 201
Huntsville, AL 35806
T 256.533.1484
GMCNETWORK.COM




DRAWN BY: OF
CHECKED BY: JI



TIE TO EXISTING SIDEWALK TO BE FLUSH AND AT GRADE
NEW CURB TO MATCH EXISTING TOP OF CURB.

MATCH TOP OF CURB TO TOP OF RAISED CROSSWALK.
MATCH CURB AND GUTTER TO EXISTING ASPHALT ON BOTH SIDES.

MATCH TO EXISTING CURB AND GUTTER ON BOTH SIDES.




7 Town Center Drive, Suite 201
Huntsville, AL 35806
T 256.533.1484
GMCNETWORK.COM

ISSUE	DATE
100% CD	2026.03.27

DRAWN BY: OF
CHECKED BY: JI


BOB HARRISON CENTER PICKLEBALL
6156 Pulaski Pike NW, Huntsville, AL 35810

GMC Project #: LHUN260002




GRADING PLAN


L3.01




NOTES:
1. PLANT BEDS SHALL BE IDENTIFIED BY AREAS IN THE PLANS FILLED WITH GROUND COVER AND SHRUB MATERIAL.




1 SOD SOIL PREPARATION
1 1/2" = 1'-0"




2 PLANT BED SOIL PREPARATION
1 1/2" = 1'-0"




3 SOD INSTALLATION
1 1/2" = 1'-0"



4 BEDLINE, TYPICAL
1 1/2" = 1'-0"



5 SHRUB PLANTING
3/4" = 1'-0"



6 TREE PLANTING
3/8" = 1'-0"

PLANTING SOIL & PREPARATION NOTES

- EXISTING ON SITE TOPSOIL MAY BE USED IF IT MEETS CRITERIA FOR TOPSOIL AS SPECIFIED IN SPECIFICATIONS.
- "PLANTING SOIL" SHALL BE PROVIDED PRE-MIXED AND READY FOR INSTALLATION. MIXING OF SOILS IN LANDSCAPE BEDS IS NOT PERMITTED. MIXING METHOD MUST PROVIDE UNIFORM MIX OF MATERIALS THROUGHOUT SOIL PROFILE.
- CONTRACTOR SHALL COORDINATE WITH OWNER'S REPRESENTATIVE FOR LOCATION OF STOCKPILE AREAS FOR STRIPPED TOPSOIL AND PLANTING SOIL PRODUCTS. CONTRACTOR SHALL ENSURE AREA IS PROTECTED AND CONTAMINATION OR DISTURBANCE OF STORED PRODUCT IS NOT ALLOWED.
- FINAL GRADES DEPICTED ON THE GRADING PLAN (REFER TO CIVIL DRAWINGS) ARE TO ACCOUNT FOR PLANTING SOIL DEPTHS INDICATED IN THE PLANTING SOIL & PREPARATION DRAWINGS.
- CONTRACTOR SHALL ENSURE SUBGRADE IS SCARIFIED PRIOR TO INSTALLING PLANTING SOIL.
- ALL TRASH, DEBRIS LARGER THAN 2 INCHES IN ANY DIRECTION, ROCK, COBBLE, EXCAVATION SPOILS, & GRAVEL SHALL BE REMOVED AND LEGALLY DISPOSED OF OFF-SITE PRIOR TO THE INSTALLATION OF TOPSOIL/PLANTING SOIL.
- COORDINATE PLACEMENT OF PLANTING SOIL WITH OTHER WORK, ESPECIALLY UTILITIES. PLACEMENT SHOULD OCCUR AFTER INSTALLATION OF HARDSCAPE IMPROVEMENTS, IRRIGATION SYSTEMS, UTILITIES, ETC. AND BEFORE PLANT INSTALLATION.

IRRIGATION NOTES

- PROJECT DOES NOT HAVE PERMANENT IRRIGATION. CONTRACTOR IS RESPONSIBLE FOR WATERING AND MAINTAINING PLANTS IN GOOD HEALTH UNTIL SUBSTANTIAL COMPLETION IS GIVEN.
- ALL NEW TREES SHALL BE INSTALLED WITH A SELF-FILLING WATERING SYSTEM. USE TREE DIAPER #TD48R, OR APPROVED EQUAL, AND COVER WITH MULCH. INSTALL PER MANUFACTURER'S INSTRUCTIONS.

PLANT INSTALLATION NOTES


- CONTRACTOR SHALL BE RESPONSIBLE FOR FAMILIARIZING THEMSELVES WITH ALL RELATED EXISTING CONDITIONS, UTILITIES, STRUCTURES, ETC. PRIOR TO BIDDING AND CONSTRUCTION.
- REMOVE FROM SITE ANY & ALL EXISTING VEGETATION INCLUDING STUMPS & ROOTS IN CONFLICT WITH PLANTING PLAN UNLESS EXPLICITLY DESIGNATED FOR PROTECTION.
- SEE SPECIFICATIONS & DETAILS FOR PLANTING METHODS, REQUIREMENTS, SOIL TESTING, MATERIALS, EXECUTION, AND PLANT PROTECTION.
- PLANT NAMES MAY BE ABBREVIATED ON DRAWINGS. REFER TO PLANT SCHEDULE FOR ABBREVIATIONS, BOTANICAL & COMMON NAMES, SIZES, ESTIMATED QUANTITIES AND OTHER REMARKS.
- CONTRACTOR SHALL VERIFY THE TOTAL QUANTITIES INDICATED IN THE PLANT LIST WITH THE QUANTITIES SHOWN ON THE PLAN. CONTRACTOR SHALL PROVIDE QUANTITIES REQUIRED TO COMPLETE PROPOSED PLANTING AS INDICATED ON THE PLAN.
- ALL PLANTING BEDS AND TREES SHALL BE MULCHED WITH 3-4 IN. OF SETTLED PINE STRAW THAT IS FREE FROM DEBRIS, LEAVES, TWIGS, INSECTS, GRASSES, WEEDS, PLANTS AND THEIR SEEDS, AND ANY SUBSTANCE HARMFUL TO PLANT GROWTH. PINE STRAW MULCH SHALL BE TUCKED & ROLLED AT ALL EDGES.
 - TREES PLACED IN SODDED/TURF-GRASS AREAS SHALL BE MULCHED WITH AN 8 FT. DIAMETER MULCH RING UNLESS OTHERWISE NOTED ON PLANS.
- CONTRACTOR IS RESPONSIBLE FOR REPAIRING ALL WORK DISTURBED BY CONSTRUCTION TO A CONDITION BETTER THAN OR EQUAL TO THE CONDITIONS THAT EXISTED PRIOR TO THE BEGINNING OF CONSTRUCTION AT NO ADDITIONAL COST TO OWNER.

PRE-APPROVED NURSERIES & TREE TAGGING

THE CONTRACTOR IS TO SOURCE THE TREES SPECIFIED ON THESE DRAWINGS AT THE FOLLOWING NURSERIES OR PREAPPROVED EQUAL NURSERIES. NURSERIES OF EQUAL QUALITY TREES MUST BE APPROVED PRIOR TO BIDDING.

THE CONTRACTOR SHALL COORDINATE WITH THE LANDSCAPE ARCHITECT TO SCHEDULE TREE TAGGING.

- ALABAMA**
- HUNTER TREES, LLC**
700 INDIAN VALLEY ROAD
ALPINE, AL 35014
(866) 348-6837
 - GREEN VALLEY TREE FARM**
12975 COUNTY ROAD 17
MONTEVALLO, AL 35115
(205) 665-1355
 - PLANTATION TREE COMPANY**
120 COUNTY ROAD 15 SOUTH
SELMA, AL 36703
1 (800) 848-5064
- GEORGIA**
- SELECT TREES**
1900 COLE SPRINGS RD.
BISHOP, GA 30621
(706) 743-5124
 - BOLD SPRINGS NURSERY**
1366 COLUMBUS HWY
HAWKINSVILLE, GA 31036
(478) 783-4975
 - SOUTHEASTERN GROWERS, INC**
2240 MACON HIGHWAY
WATKINSVILLE, GA 30677
(706) 310-1110
 - MOON'S TREE FARM, INC.**
175 HAPPY HOLLOW ROAD
WASHINGTON, GA 30673
(770) 554-6849
- PERENNIALS AND PLUGS**
- NORTHCREEK NURSERIES**
388 NORTH CREEK ROAD
LANDENBERG, PA 19350
T: (610) 255-0100
F: (610) 255-4762
 - HOFFMAN NURSERY**
5520 BAHAMA ROAD
ROUEMONT, NC
T: (919) 471-3100



7 Town Center Drive, Suite 201
Huntsville, AL 35806
T 256.533.1484
GMCNETWORK.COM

ISSUE	DATE
100% CD	2026.05.27

BOB HARRISON CENTER PICKLEBALL
6156 Pulaski Pike NW, Huntsville, AL 35810

100% CD 2026.05.27


DRAWN BY: OF
CHECKED BY: JJ

GMC Project #: LHUN260002



LANDSCAPE DETAILS

L6.01



GENERAL NOTES:


1. ELECTRICAL CONTRACTOR SHALL INCLUDE THE COST FOR BORING UNDER THE EXISTING ROAD AND PARKING LOT. THE ACTUAL ROUTE MUST BE COORDINATED AND APPROVED BY THE CITY UTILITY DEPARTMENT. IF RE-ROUTING DICTATES THE ADDING OF A PULLBOX SAID PULLBOX WILL BE FURNISHED AND INSTALLED BY ELECTRICAL CONTRACTOR AS PER THE REQUIREMENTS OF THE UTILITY COMPANY. THIS MUST BE DONE BEFORE SUBMITTING A BID.

KEYED NOTES (#)

1. APPROXIMATE LOCATION OF EXISTING TRANSFORMER.
 2. SERVICE ENTRANCE - REFER TO SERVICE ENCLOSURE DIAGRAM FOR ADDITIONAL REQUIREMENTS.


DRAWING FILE: \\vvhqnc0208\Projects\Landscapes\0208\Projects\Bob Harrison Center Pickleball\Drawings\Electrical\Site Plan.dwg
 PLOT FILE: J:\A4_2024\1.dwg

1 OVERALL ELECTRICAL SITE PLAN
 SCALE: 1" = 20'



ISSUE	DATE
100% CD	2026.06.03
DESIGNED BY:	TJS
DRAWN BY:	JMP
CHECKED BY:	JEA

BOB HARRISON CENTER PICKLEBALL
 6156 Pulaski Pike NW, Huntsville, AL 35810





GMC Project #: LHUN260002

ELECTRICAL SITE PLAN

E1.01

7 Town Center Drive, Suite 201
 Huntsville, AL 35806
 T 256.533.1484
 GMCNETWORK.COM






- KEYED NOTES (#)**
- ROUTE 1 - 1" EC FROM JUNCTION BOX TO NEW PANEL 'PB' (BASE BID).
 - JUNCTION BOX WILL BE A 12" x 21" x 12" FLUSH MOUNTED WITH LOCKABLE COVER, QUAZITE OR EQUIVALENT. COORDINATE EXACT LOCATION WITH LIGHTING VENDOR.
 - WEATHERPROOF MARK TIME SWITCH MOUNTED ON FENCE AT HEIGHT AS DIRECTED INTERCONNECTED AS REQUIRED TO CONTROL 'ON-OFF' OF COURT LIGHTING. PROVIDE CONDUIT AND INFRASTRUCTURE UNDER BASE BID. INSTALL MARK TIME SWITCH AND WIRING. IF ALTERNATE 1 IS ACCEPTED.
 - LIGHTING AND POLE INSTALLED IF ALTERNATE 1 IS ACCEPTED.
 - PANEL PB - 2.
 - PANEL PB - 4.
 - SERVICE ENTRANCE - SEE SERVICE ENCLOSURE DIAGRAM FOR ADDITIONAL INFORMATION.

ISSUE	DATE
100% CD	2026.06.03
DESIGNED BY:	TJS
DRAWN BY:	IMP
CHECKED BY:	IEA

BOB HARRISON CENTER PICKLEBALL
 6156 Pulaski Pike NW, Huntsville, AL 35810


GMC Project #: LHUN260002



ELECTRICAL SITE PLAN

E1.02

1 ELECTRICAL SITE PLAN
 SCALE: 1" = 10'



DRAWING FILE: C:\Users\mpat\AppData\Local\Temp\Acad\AutoCAD_30486101\Electrical Site Plan.dwg
 PLOTTED: Jun 04, 2026 10:02 AM

GMC
 7 Town Center Drive, Suite 201
 Huntsville, AL 35806
 T 256.533.1484
 GMCNETWORK.COM

